according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 14, 2019 **1** Identification Product identifier Trade name: Hvdraclean C-200 · Product code: No other identifiers · CAS Number: 64742-47-8 Recommended use and restriction on use · Recommended use: Cleaner solvent · Restrictions on use: No relevant information available. • Details of the supplier of the Safety Data Sheet · Manufacturer/Supplier: **Dura-Line Corporation** 11400 Parkside Drive, Suite 300 Knoxville, TN 37934 (865) 218-3460 (800) 847-7661 · Emergency telephone number: ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International) 2 Hazard(s) identification [•] Classification of the substance or mixture Flam. Liq. 4 H227 Combustible liquid. Skin Irrit. 2 H315 Causes skin irritation. STOT SE 3 H336 May cause drowsiness or dizziness. Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

⁻ Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms:



· Signal word: Danger

- · Hazard statements:
- H227 Combustible liquid.
- H315 Causes skin irritation.
- H336 May cause drowsiness or dizziness.
- H304 May be fatal if swallowed and enters airways.
- · Precautionary statements:
- P210 Keep away from flames and hot surfaces. - No smoking.
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray
- P264 Wash thoroughly after handling.
- P271 Use only outdoors or in a well-ventilated area.

(Cont'd. on page 2)



(800) 847-7661 · www.duraline.com



according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 14, 2019

Trade name: Hydraclean C-200

	(Cont'd. of page 1)
P280 Wear protective gloves/protective clothing/eye protection/face protection.	(
P301+P310 If swallowed: Immediately call a poison center/doctor.	
P331 Do NOT induce vomiting.	
P302+P352 If on skin: Wash with plenty of water.	
P321 Specific treatment (see on this label).	
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing	
P312 Call a poison center/doctor if you feel unwell.	
P362+P364 Take off contaminated clothing and wash it before reuse.	
P332+P313 If skin irritation occurs: Get medical advice/attention.	
P370+P378 In case of fire: Use for extinction: CO2, powder or water spray.	
P403+P233 Store in a well-ventilated place. Keep container tightly closed.	
P403+P235 Store in a well-ventilated place. Keep cool.	
P405 Store locked up.	
P501 Dispose of contents/container in accordance with local/regional/nation	nal/international
regulations.	

· Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

[•] Chemical characterization: Substances

· CAS No. Description

64742-47-8 Distillates (petroleum), hydrotreated light

4 First-aid measures

[•] Description of first aid measures

· After inhalation:

Provide oxygen treatment if affected person has difficulty breathing.

If experiencing respiratory symptoms: Call a poison center/doctor.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact:

Wash with soap and water.

If skin irritation continues, consult a doctor.

• After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

A person vomiting while lying on their back should be turned onto their side.

Most important symptoms and effects, both acute and delayed:

- Breathing difficulty Dizziness Coughing
- Irritant to skin and mucous membranes.

Causes skin irritation.

· Danger:

Danger of impaired breathing.

(Cont'd. on page 3)





according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 14, 2019

Trade name: Hydraclean C-200

(Cont'd. of page 2)

May be fatal if swallowed and enters airways.

May cause drowsiness or dizziness.

Indication of any immediate medical attention and special treatment needed:

If swallowed or in case of vomiting, danger of entering the lungs.

If necessary oxygen respiration treatment.

Later observation for pneumonia and pulmonary edema.

If medical advice is needed, have product container or label at hand.

5 Fire-fighting measures

[•] Extinguishing media

• Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.

- For safety reasons unsuitable extinguishing agents: Water stream.
- Special hazards arising from the substance or mixture Combustible liquid.

Advice for firefighters

Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

• Additional information: Eliminate all ignition sources if safe to do so.

6 Accidental release measures

[•] Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

Keep away from ignition sources.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

• Environmental precautions Do not allow to enter sewers/ surface or ground water.

[•] Methods and material for containment and cleaning up

Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders). Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

[·] Handling

• Precautions for safe handling:

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

• Information about protection against explosions and fires: Combustible liquid.

Keep ignition sources away - Do not smoke.

(Cont'd. on page 4)



(800) 847-7661 · www.duraline.com



according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 14, 2019

Trade name: Hydraclean C-200

(Cont'd. of page 3)


Conditions for safe storage, including any incompatibilities Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

Keep away from oxidizing agents.

Information about storage in one common storage facility: Store away from foodstuffs.

• Specific end use(s) No relevant information available.



9 Physical and chemical properties

[•] Information on basic physical and chemical properties

· Appearance:

Form: Color: Liquid Clear

(Cont'd. on page 5)





according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 14, 2019

Trade name: Hydraclean C-200

		(Cont'd. of pag
Odor:	Solvent-like	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Melting point/Melting range:	Not determined.	
Boiling point/Boiling range:	Not determined.	
Flash point:	>60 °C (>140 °F)	
Flammability (solid, gaseous):	Not applicable.	
Auto-ignition temperature:	Not determined.	
Decomposition temperature:	Not determined.	
Danger of explosion:	Not determined.	
Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
Oxidizing properties:	Non-oxidizing.	
Vapor pressure:	Not determined.	
Density at 20 °C (68 °F):	0.79 g/cm³ (6.59 lbs/gal)	
Relative density:	Not determined.	
Vapor density:	Not determined.	
Evaporation rate:	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wa	ter): Not determined.	
Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
VOC content:	791 gm/L	
Other information	No relevant information available.	

10 Stability and reactivity

· Reactivity: No relevant information available.

- · Chemical stability: Stable under normal temperatures and pressures.
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.

[•] Possibility of hazardous reactions

Used empty containers may contain product gases which form explosive mixtures with air.

Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomized.

• Conditions to avoid

Keep ignition sources away - Do not smoke.

Store away from oxidizing agents.

· **Incompatible materials** No relevant information available.

· Hazardous decomposition products Carbon monoxide and carbon dioxide

(Cont'd. on page 6)



(800) 847-7661 · www.duraline.com



according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 14, 2019

Trade name: Hydraclean C-200

(Cont'd. of page 5)

11 Toxicological information

[·] Information on toxicological effects

• Acute toxicity: Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

64742-47-8 Distillates (petroleum), hydrotreated light

Oral LD50 >5000 mg/kg (rat)

Dermal LD50 >2000 mg/kg (rabbit)

· Primary irritant effect:

• On the skin: Irritant to skin and mucous membranes.

· On the eye: Based on available data, the classification criteria are not met.

• Sensitization: Based on available data, the classification criteria are not met.

· IARC (International Agency for Research on Cancer):

Substance is not listed.

• NTP (National Toxicology Program):

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration):

Substance is not listed.

[·] Probable route(s) of exposure:

Ingestion.

Inhalation.

Eye contact.

Skin contact.

- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- **Reproductive toxicity:** Based on available data, the classification criteria are not met.
- **STOT-single exposure:** May cause drowsiness or dizziness.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- Aspiration hazard: May be fatal if swallowed and enters airways.

12 Ecological information

[·] Toxicity

• Aquatic toxicity Toxic to aquatic life with long lasting effects.

- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.

[•] Additional ecological information

· General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Other adverse effects No relevant information available.

(Cont'd. on page 7)





according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 14, 2019

Trade name: Hydraclean C-200

(Cont'd. of page 6)

13 Disposal considerations

[•] Waste treatment methods

· Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

[·] Uncleaned packagings

· Recommendation: Disposal must be made according to official regulations.

14 Transport information	
· UN-Number · DOT · ADR/RID/ADN, IMDG, IATA	Not regulated. UN3082
 UN proper shipping name DOT ADR/RID/ADN, IMDG, IATA 	Not regulated. ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Distillates (petroleum), hydrotreated light)
 Transport hazard class(es) DOT Class 	Not regulated.
ADR/RID/ADN	
· Class · Label	9 (M6) 9
· IMDG, IATA	
· Class · Label	9 9
 Packing group DOT ADR/RID/ADN, IMDG, IATA 	Not regulated. III
 Environmental hazards Marine pollutant: 	Symbol (fish and tree)
	(Cont'd. on page 8





Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 14, 2019





Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 14, 2019

	(Cont'd. of page
Special precautions for user	Warning: Miscellaneous dangerous substances an articles
Danger code (Kemler):	90
EMS Number:	F-A,S-F
Transport in bulk according to Annex	ll of
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	Not regulated when carried in single or combinatic packaging containing a net quantity of 5 L or less for liquids or 5 kg or less for solids per the following: ADR: SP 375 IMDG: 2.10.2.7 IATA: special provision A197
DOT	Termenent lebeling is not required for your built sign
Remarks:	Transport labeling is not required for non-bulk single package shipments by motor vehicle, rail car of aircraft. Bulk packaging consists of a maximum capacity of greater than 450L (119 gallons) for a liqui and a maximum net mass greater than 400kg (88 pounds) for a solid.

m Ui	afety, health and environmental regulations/legislation specific for the substance lixture nited States (USA) ARA
Se	ection 302 (extremely hazardous substances):
Sı	ubstance is not listed.
Se	ection 355 (extremely hazardous substances):
Sı	ubstance is not listed.
Se	ection 313 (Specific toxic chemical listings):
Sı	ubstance is not listed.
٠T	SCA (Toxic Substances Control Act)
Sι	ubstance is listed
Pr	roposition 65 (California)
C	hemicals known to cause cancer:
Sι	ubstance is not listed.
· Cl	hemicals known to cause developmental toxicity for females:
Sı	ubstance is not listed.
C	hemicals known to cause developmental toxicity for males:
Sı	ubstance is not listed.





according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 14, 2019

Trade name: Hydraclean C-200

(Cont'd. of page 8)

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· EPA (Environmental Protection Agency):

Substance is not listed.

· IARC (International Agency for Research on Cancer):

Substance is not listed.

· Canadian Domestic Substances List (DSL): (Substances not listed.)

Substance is listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Abbreviations and acronyms:

Website: www.chemtelinc.com

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent OSHA: Occupational Safety & Health Administration Flam. Liq. 4: Flammable liquids - Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Asp. Tox. 1: Aspiration hazard - Category 1 Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573



