according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 26, 2019

1 Identification

[•] Product identifier

- · Trade name: Lubaduk Summer Grade Lubricant
- · Product code: No other identifiers
- [.] Recommended use and restriction on use
- · Recommended use: Lubricant
- Restrictions on use: No relevant information available.

 Details of the supplier of the Safety Data Sheet
 Manufacturer/Supplier: Dura-Line Corporation
 11400 Parkside Drive, Suite 300
 Knoxville, TN 37934
 (865) 218-3460
 (800) 847-7661

Emergency telephone number: ChemTel Inc.

(800)255-3924 (North America) +1 (813)248-0585 (International)

2 Hazard(s) identification

[•] Classification of the substance or mixture

Skin Sens. 1 H317 May cause an allergic skin reaction.

[•] Label elements

· GHS label elements

- The product is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms:



· Signal word: Warning

- · Hazard statements:
- H317 May cause an allergic skin reaction.
- · Precautionary statements:
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray
- P272 Contaminated work clothing must not be allowed out of the workplace.
- P280 Wear protective gloves.
- P302+P352 If on skin: Wash with plenty of water.
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P321 Specific treatment (see on this label).
- P363 Wash contaminated clothing before reuse.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

• Other hazards There are no other hazards not otherwise classified that have been identified.

(Cont'd. on page 2)





according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 26, 2019

Trade name: Lubaduk Summer Grade Lubricant

(Cont'd. of page 1)

· Components:				
57-55-6	Propylene glycol	2.5-5%		
4080-31-3	Methenamine 3-chloroallylochloride	0.1-19		
	Acute Tox. 3, H311 Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317			
	l information: ed ingredient(s), the identity and/or exact percentage(s) are being withheld a			

4 First-aid measures

[•] Description of first aid measures

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Wash with soap and water.

If skin irritation or rash occurs: Get medical advice/attention.

• After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water.

• After swallowing: Do not induce vomiting; immediately call for medical help.

• Most important symptoms and effects, both acute and delayed: Allergic reactions

· Indication of any immediate medical attention and special treatment needed:

Treat skin and mucous membrane with antihistamine and corticoid preparations.

5 Fire-fighting measures

- [·] Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- For safety reasons unsuitable extinguishing agents: No relevant information available.
- Special hazards arising from the substance or mixture No relevant information available.
- Advice for firefighters

Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures No special measures required.
- Environmental precautions No special measures required.
- Methods and material for containment and cleaning up

Dispose of the collected material according to regulations.

Reference to other sections

© dura·line

(800) 847-7661 · www.duraline.com



(Cont'd. on page 3)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 26, 2019

Trade name: Lubaduk Summer Grade Lubricant

(Cont'd. of page 2)

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

[·] Handling

· Precautions for safe handling: No special measures required.

· Information about protection against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

• Requirements to be met by storerooms and receptacles: No special requirements.

- · Information about storage in one common storage facility: No relevant information available.
- · Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

[•] Control parameters

• Components with limit values that require monitoring at the workplace:

57-55-6 Propylene glycol

WEEL (USA) Long-term value: 10 mg/m³

EV (Canada) Long-term value: 155* 10** mg/m³, 50* ppm *vapour and aerosol;**aerosol only

[•] Exposure controls

· General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

- Keep away from foodstuffs, beverages and feed.
- Engineering controls: No relevant information available.
- · Breathing equipment: Not required under normal conditions of use.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product. **Eye protection:**



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

· Body protection: Protective work clothing

· Limitation and supervision of exposure into the environment No special requirements.

· Risk management measures No special requirements.

(Cont'd. on page 4)





according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 26, 2019

Trade name: Lubaduk Summer Grade Lubricant

(Cont'd. of page 3)

9 Physical and chemical prope	rties
[·] Information on basic physical a	and chemical properties
· Appearance:	
Form:	Liquid
Color:	Whitish
· Odor:	Odorless
· Odor threshold:	Not determined.
· pH-value:	7-8
 Melting point/Melting range: 	Not determined.
 Boiling point/Boiling range: 	100 °C (212 °F)
· Flash point:	The product is not flammable.
· Flammability (solid, gaseous):	Not applicable.
[·] Auto-ignition temperature:	Not determined.
[·] Decomposition temperature:	Not determined.
[.] Danger of explosion:	Product does not present an explosion hazard.
 Explosion limits 	
Lower:	Not determined.
Upper:	Not determined.
· Oxidizing properties:	Non-oxidizing.
· Vapor pressure:	Not determined.
· Density:	
Relative density:	1.0
Vapor density:	Not determined.
Evaporation rate:	Not determined.
[•] Solubility in / Miscibility with	
Water:	Soluble.
· Partition coefficient (n-octanol/wat	ter): Not determined.
· Viscosity	
Dynamic:	Not determined.
Kinematic:	Not determined.
[•] Other information	No relevant information available.

10 Stability and reactivity

• **Reactivity:** No relevant information available.

• Chemical stability: Stable under normal temperatures and pressures.

• Thermal decomposition / conditions to be avoided:


No decomposition if used and stored according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No relevant information available.

[•] Incompatible materials No relevant information available.



(800) 847-7661 · www.duraline.com



orbia (

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 26, 2019

(Cont'd. of page 4)
• Hazardous decomposition products Carbon monoxide and carbon dioxide
11 Toxicological information
 Information on toxicological effects Acute toxicity: Based on available data, the classification criteria are not met. LD/LC50 values that are relevant for classification: None. Primary irritant effect: On the skin: Based on available data, the classification criteria are not met. On the eye: Based on available data, the classification criteria are not met. Sensitization: May cause sensitization by skin contact. IARC (International Agency for Research on Cancer):
Present in trace quantities.
75-09-2 dichloromethane 2A • NTP (National Toxicology Program): Present in trace quantities. 542-75-6 1,3-dichloropropene R 75-09-2 dichloromethane R • OSHA-Ca (Occupational Safety & Health Administration): Present in trace quantities.
75-09-2 dichloromethane
 Probable route(s) of exposure: Ingestion. Inhalation. Eye contact. Skin contact. Repeated dose toxicity: Sensitizing effect by skin contact is possible with prolonged exposure. Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met. STOT-single exposure: Based on available data, the classification criteria are not met. STOT-repeated exposure: Based on available data, the classification criteria are not met. STOT-repeated exposure: Based on available data, the classification criteria are not met. Aspiration hazard: Based on available data, the classification criteria are not met.
12 Ecological information
 Toxicity Aquatic toxicity
4080-31-3 Methenamine 3-chloroallylochloride

LC50 34 mg/l (pimephales promelas) (96 h)

• Persistence and degradability No relevant information available.

• **Bioaccumulative potential:** No relevant information available.

- Mobility in soil: No relevant information available.
- Additional ecological information
- · General notes:

(Cont'd. on page 6)



(800) 847-7661 · www.duraline.com



according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 26, 2019

Trade name: Lubaduk Summer Grade Lubricant

(Cont'd. of page 5) Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

• Other adverse effects No relevant information available.

13 Disposal considerations

[·] Waste treatment methods

· Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

[·] Uncleaned packagings

· Recommendation: Disposal must be made according to official regulations.

UN-Number		
DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.	
UN proper shipping name DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.	
Transport hazard class(es)		
DOT, ADR/RID/ADN, IMDG, IATA		
Class	Not regulated.	
Packing group		
DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.	
Environmental hazards		
Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	k II of	
MARPOL73/78 and the IBC Code	Not applicable.	

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

· United States (USA)

· SARA

• Section 302 (extremely hazardous substances):

None of the ingredients are listed.

• Section 355 (extremely hazardous substances):

(Cont'd. on page 7)





according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 26, 2019

	(Cont'd. of pa
None of the ingredients are listed.	
Section 313 (Specific toxic chemical listings):	
None of the ingredients are listed.	
TSCA (Toxic Substances Control Act)	
All ingredients are listed or exempt.	
Proposition 65 (California)	
Chemicals known to cause cancer:	
Present in trace quantities.	
542-75-6 1,3-dichloropropene	
75-09-2 dichloromethane	
Chemicals known to cause developmental toxicity for females:	
None of the ingredients are listed.	
Chemicals known to cause developmental toxicity for males:	
None of the ingredients are listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients are listed.	
EPA (Environmental Protection Agency):	
None of the ingredients are listed.	
IARC (International Agency for Research on Cancer):	
Present in trace quantities.	
542-75-6 1,3-dichloropropene	
75-09-2 dichloromethane	
Canadian Domestic Substances List (DSL): (Substances not listed.)	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent DD50: Lethal dose, 50 percent OSHA: Occupational Safety & Health Administration Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 3: Acute toxicity – Category 3 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1 **Sources** Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do)

(Cont'd. on page 8)





according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 26, 2019

Trade name: Lubaduk Summer Grade Lubricant

(Cont'd. of page 7)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com



