## according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 26, 2019

## 1 Identification

· Product identifier

Trade name: Lubaduk Winter Grade Lubricant

· Product code: No other identifiers

Recommended use and restriction on use

· Recommended use: Lubricant

· Restrictions on use: No relevant information available.

Details of the supplier of the Safety Data Sheet

· Manufacturer/Supplier:

Dura-Line Corporation 11400 Parkside Drive, Suite 300 Knoxville, TN 37934 (865) 218-3460 (800) 847-7661

Emergency telephone number:

ChemTel Inc. (800)255-3924 (North America)

+1 (813)248-0585 (International)

## 2 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified as hazardous according to the Globally Harmonized System (GHS).

Label elements

The product is not classified as hazardous according to OSHA GHS regulations within the United States.

- · **GHS label elements** Not regulated.
- Hazard pictograms: Not regulated.
- · Signal word: Not regulated.
- Hazard statements: Not regulated.
- · Precautionary statements: Not regulated.
- Other hazards There are no other hazards not otherwise classified that have been identified.

## 3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:

57-55-6 Propylene glycol

20-40%

Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret.

#### 4 First-aid measures

- Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Wash with soap and water.
- · After eye contact:

(Cont'd. on page 2)





## according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 26, 2019

#### Trade name: Lubaduk Winter Grade Lubricant

(Cont'd. of page 1)

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water.

- · After swallowing: Do not induce vomiting; immediately call for medical help.
- Most important symptoms and effects, both acute and delayed: No relevant information available.
- · Danger: No relevant information available.
- Indication of any immediate medical attention and special treatment needed:

No relevant information available.

## 5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- For safety reasons unsuitable extinguishing agents: No relevant information available.
- Special hazards arising from the substance or mixture No relevant information available.
- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

#### 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures
  No special measures required.
- Environmental precautions No special measures required.
- · Methods and material for containment and cleaning up

Dispose of the collected material according to regulations.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

- Handling
- · Precautions for safe handling: No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: No relevant information available.
- · **Specific end use(s)** No relevant information available.

#### 8 Exposure controls/personal protection

· Control parameters

(Cont'd. on page 3)





## according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 26, 2019

#### Trade name: Lubaduk Winter Grade Lubricant

(Cont'd. of page 2)

· Components with limit values that require monitoring at the workplace:

57-55-6 Propylene glycol

WEEL (USA) Long-term value: 10 mg/m<sup>3</sup>

EV (Canada) Long-term value: 155\* 10\*\* mg/m³, 50\* ppm

\*vapour and aerosol;\*\*aerosol only

- Exposure controls
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

- · Engineering controls: No relevant information available.
- · Breathing equipment: Not required under normal conditions of use.
- Protection of hands:

Not required under normal conditions of use.

The glove material has to be impermeable and resistant to the product.

· Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

- · Body protection: Protective work clothing
- Limitation and supervision of exposure into the environment No special requirements.
- · Risk management measures No special requirements.

9 Physical and chemical properties  Information on basic physical and chemical properties				
Form:	Liquid			
Color:	Whitish			
· Odor:	Odorless			
· Odor threshold:	Not determined.			
· pH-value:	7-8			
· Melting point/Melting range:	Not determined.			
· Boiling point/Boiling range:	100 °C (212 °F)			
· Flash point:	The product is not flammable.			
· Flammability (solid, gaseous):	Not applicable.			
· Auto-ignition temperature:	Not determined.			
· Decomposition temperature:	Not determined.			
· Danger of explosion:	Product does not present an explosion hazard.			
· Explosion limits				
Lower:	Not determined.			
Upper:	Not determined.			





(Cont'd. on page 4)

#### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 26, 2019

#### Trade name: Lubaduk Winter Grade Lubricant

		(Cont'd. of page
Oxidizing properties:	Non-oxidizing.	
· Vapor pressure:	Not determined.	
· Density:		
Relative density:	Not determined.	
Vapor density:	Not determined.	
Evaporation rate:	Not determined.	
· Solubility in / Miscibility with		
Water:	Soluble.	
· Partition coefficient (n-octanol	/water): Not determined.	
· Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Other information	No relevant information available.	

# 10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability: Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No relevant information available.
- · Incompatible materials No relevant information available.
- · Hazardous decomposition products Carbon monoxide and carbon dioxide

#### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.
- LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- On the skin: Based on available data, the classification criteria are not met.
- On the eye: Based on available data, the classification criteria are not met.
- · Sensitization: Based on available data, the classification criteria are not met.
- · IARC (International Agency for Research on Cancer):

Present in trace quantities. 75-09-2 dichloromethane

L	10 00 2 district mountains		
_	· NTP (National Toxicology Program):		
	Present in trace quantities.		
ı	542-75-6 1,3-dichloropropene	R	

OSHA-Ca (Occupational Safety & Health Administration):

Present in trace quantities.

75-09-2 dichloromethane

(Cont'd. on page 5)

2A

R





#### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 26, 2019

#### Trade name: Lubaduk Winter Grade Lubricant

(Cont'd. of page 4)

### 75-09-2 dichloromethane

· Probable route(s) of exposure:

Ingestion.

Inhalation.

Eve contact.

Skin contact.

- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

# 12 Ecological information

- · Toxicity
- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- · **Mobility in soil**: No relevant information available.
- Additional ecological information
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· Other adverse effects No relevant information available.

# 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- Uncleaned packagings
- · Recommendation: Disposal must be made according to official regulations.

# 14 Transport information

- · UN-Number
- · DOT, ADR/RID/ADN, IMDG, IATA Not regulated.
- · UN proper shipping name
- · DOT, ADR/RID/ADN, IMDG, IATA Not regulated.
- · Transport hazard class(es)

(Cont'd. on page 6)





#### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 26, 2019

Trade name: Lubaduk Winter Grade Lubricant

· DOT, ADR/RID/ADN, IMDG, IATA
· Class Not regulated.

· Packing group
· DOT, ADR/RID/ADN, IMDG, IATA Not regulated.

· Environmental hazards
· Marine pollutant: No

· Special precautions for user Not applicable.

· Transport in bulk according to Annex II of

# 15 Regulatory information

MARPOL73/78 and the IBC Code

Safety, health and environmental regulations/legislation specific for the substance or mixture

Not applicable.

- · United States (USA)
- ·SARA
- Section 302 (extremely hazardous substances):

None of the ingredients are listed.

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act)

All ingredients are listed or exempt.

- · Proposition 65 (California)
- · Chemicals known to cause cancer:

Present in trace quantities.

542-75-6 1,3-dichloropropene

75-09-2 dichloromethane

· Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

Present in trace quantities.

(Cont'd. on page 7)





Page: 7/7

# **Safety Data Sheet**

#### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 26, 2019

#### Trade name: Lubaduk Winter Grade Lubricant

| Cont'd. of page 6)
| 542-75-6 | 1,3-dichloropropene | 2B |
| 75-09-2 | dichloromethane | 2A |
| • Canadian Domestic Substances List (DSL): (Substances not listed.)
| All ingredients listed on DSL or NDSL.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

OSHA: Occupational Safety & Health Administration

#### · Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com



