




STANDARD ACCESSORIES

SWEEPS


- ▶ Manufactured from flexible HDPE
- ▶ Available in sizes 2" - 8"
- ▶ Excellent low-temperature properties allows for installation in cold climates
- ▶ Standard bend angles of 45° and 90° with 36" Radius
- ▶ Co-extruded with SILICORE® ULF permanent lining on 2" - 6" sizes to reduce friction on cable installs
- ▶ Custom options available upon request
- ▶ Certain sizes listed to UL 651A 



22.5° Degree Bends



45° Degree Bends



90° Degree Bends

ORDER REFERENCE

SIZE/WALL TYPE		ANGLE (DEGREES)	RADIUS (IN)	PALLET QTY (EA)	MOQ (EA)	COLOR	PART #
2" SDR 9		45	36	150	25	■	20095835
2" SDR 9		90	36	150	25	■	20095834
2" SDR 11		45	36	150	25	■	20005879
2" SDR 11		90	36	150	25	■	20005880
2" SDR 13.5		45	36	150	25	■	20005881
2" SDR 13.5		90	24	150	25	■	20096229
2" SDR 13.5		90	36	150	25	■	20005882
2" SDR 13.5		90	36	150	25	■	20094814
2" SCH 40		22.5	36	150	25	■	20096032
2" SCH 40		45	36	150	25	■	20094686
2" SCH 40		90	36	150	25	■	20094685
2" SCH 40		90	36	150	25	■	20094904
2 1/2" SDR 13.5		45	36	150	25	■	20094431
2 1/2" SDR 13.5		90	36	150	25	■	20094432
2 1/2" SDR 13.5		90	36	150	25	■	20094905
2 1/2" SCH 40		90	36	150	25	■	20094906
3" SDR 11		45	24	80	40	■	20097494
3" SDR 11		45	36	75	25	■	20005883
3" SDR 11		90	24	60	30	■	20097495
3" SDR 11		90	36	70	35	■	20005884
3" SDR 13.5		45	36	75	25	■	20094433
3" SDR 13.5		90	36	75	25	■	20094434
3" SDR 13.5		90	36	75	25	■	20094815
3" SCH 40		22.5	36	150	25	■	20096033
3" SCH 40		45	36	75	25	■	20094688
3" SCH 40		90	36	75	25	■	20094687

ORDER REFERENCE

SIZE/WALL TYPE		ANGLE (DEGREES)	RADIUS (IN)	PALLET QTY (EA)	MOQ (EA)	COLOR	PART #
4" SDR 11		45	36	60	30	■	20094652
4" SDR 11		90	36	50	25	■	20094435
4" SDR 13.5		45	36	60	30	■	20005887
4" SDR 13.5		90	36	50	25	■	20005888
4" SDR 13.5		90	36	50	25	■	20094937
4" SCH 40		22.5	36	60	30	■	20094770
4" SCH 40		45	36	60	30	■	20005885
4" SCH 40		90	24	50	25	■	20096992
4" SCH 40		90	36	50	25	■	20005886
4" SCH 40		90	36	50	25	■	20094938
4" SCH 40		90	48	50	25	■	20096993
4" SCH 80		22.5	36	60	30	■	20096311
4" SCH 80		45	36	60	30	■	20096034
4" SCH 80		90	36	50	25	■	20096035
5" SDR 13.5		45	36	25	25	■	20096189
5" SDR 13.5		90	36	20	20	■	20094577
6" SDR 11		45	36	25	25	■	20094735
6" SDR 11		90	36	10	10	■	20094436
6" SDR 11		45	60	20	20	■	20094527
6" SDR 11		90	60	10	10	■	20094528
6" SDR 13.5		90	60	10	10	■	20094939
6" SCH 40		45	36	25	25	■	20096497
6" SCH 40		90	36	10	10	■	20096498
6" SCH 40		90	48	20	20	■	20096994
6" SCH 40		90	60	20	20	■	20096995
6" SCH 80		45	36	25	25	■	20096500
6" SCH 80		90	36	10	10	■	20096501
8" SDR 11		90	24	10	10	■	20094437